



SHOWROOM LINE



Stain Removers

STAIN REMOVER POWDER

Active powder that mixed with water creates a highly-performing stain-removing compound great against organic stains.

STAIN REMOVER POWDER is a stain-remover able to definitely remove different kinds of stains on many different surfaces. **STAIN REMOVER POWDER** has no harm to the health of its user, this is why it can be used in different ways without any particular precautions.

Its one of a kind formulation makes it a great and definitive solution to:

- Extract yellow stains caused by the absorption of **rising humidity or water infiltration**;
- Extract **colored stains** such as coffee, wine, tea, soda, tomato, food, and beverages;
- Extract stubborn stains such as nicotine and tannins;
- Renew and restore outdoor surfaces such as walls, monuments, and urban furnishing elements darkened by dirt, and smog deposits

BENEFITS

- ✓ Great stain-removing power
- ✓ Suitable for vertical application
- ✓ Versatile
- ✓ Fast acting

USES

Suitable for indoor and outdoor applications.
Suitable for applications on had surfaces.

COVERAGE

N.A.

APPLICATION EQUIPMENT

Brush, Spatula, Direct application to stains

APPLICATION STEPS

Before applying the product it is necessary taking a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material

Surface Preparation

- Carefully clean the surface, making sure to remove any dust or rough dirt present.
- In the case in which the surface to be treated has a previous surface layer of wax, proceed to the removal of the same using **SOLVENT STRIPPER** or **WAX REMOVER**.
- Do not apply the product to overly heated surfaces. We recommend applying the product during the coolest periods of the day.
- Do not apply the product on wet surfaces. The material needs to be as dry as possible.

Mixing

STAIN REMOVER POWDER can ONLY be used mixed with water or hydrogen peroxide, NEVER mixed with other substances.

- Prepare a plastic bucket or any container that is big enough to mix the compound. Mix 1 unit of product in 1.5 units of hot water with a temperature between 40°C to 50°C. As an alternative, replace the hot water with 1,units of hydrogen peroxide vol. 8% (commercial solution available in-store).

MADE IN ITALY

100%



SHOWROOM LINE

APPLICATION
STEPS

- Mix the compound until you achieve an even and smooth consistency.
- After carefully removing any residues and rinsing the surface with water, the floor can be opened to foot traffic

Application

- Apply the product straight onto the stain that you want to remove. Use a spatula or when possible pour the product directly onto the surface leaving a thick layer of product to cover the stain.
- Let it act until the complete removal of the stain. The time of action depends on the nature of the stain, how stubborn and old it is.

Even tho every stain has different characteristics that can affect the time of action of the product. Generally, the time of action for the extraction of stains can be summarized as follow:

- For yellow stains due to the absorption of rising humidity or the infiltration of water: from 8 to 24 hours
- Coffee, wine, tea, soda, tomato, food, and beverage stains: from 30 minutes to 2 hours
- Stubborn stains such as nicotine and tannins: from 2 to 8 hours
- To restore dirty and darkened outdoor surfaces: from 30 minutes to 2 hours of contact

To maximize action time of the product we recommend to wait until the product is completely dry before removing it. For the extraction of stains with a particularly long time of contact we recommend to cover the layer of product on the surface with plastic foil. We also recommend applying a sufficiently thick layer in order to avoid any further application due to a quick dry. This procedure allows the product to maximize the reaction with the stain and the efficiency of the treatment. When the product on the surface has been covered in plastic foil it's important, after the removal of the foil, to leave the product exposed to the air for 30 to 60 minutes before proceeding with the removal of the product.

Once the established time has passed, proceed with the removal of the product and its residues. To remove the compound from small areas you can use paper towels. Clean the surface with a slightly wet cloth and wait until the surface is completely dry before evaluating the achieved result.

If the stain to remove has a mixed nature, it could also be efficient to utilize a different kind of stain-remover.

The contact between the surface and the compound, even for an extended period of time, doesn't result in any superficial problems or defects. It's preferable to let the product act for how long it is necessary until it's completely dry and then remove the residues.

When treating natural stone surfaces to extract stubborn and deeply penetrated stains, such as humidity and yellow stains it could be necessary as a first step to hone the surface to increase the absorbing ability of the surface,

MADE IN ITALY

100%

FABER CHIMICA SRL

60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO

PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78

INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM



SHOWROOM LINE

**APPLICATION STEPS**

enabling also a better penetration and a more efficient extracting ability of the product.

The depth of the hone depends on the penetrative degree of the stain. For really deep stains it's necessary to hone the surface using lower grits. This preliminary operation enables to better reach and extract the stain in a shorter amount of time.

We recommend, before proceeding with the extraction, taking a preliminary test.

Resume Surface Use

After carefully removing any residues and rinsing the surface with water, the floor can be opened to foot traffic.

COMPLEMENTARY MAINTENANCE PRODUCTS

After using **STAIN REMOVER POWDER** clean the surface everyday using the most suitable Faber product such as **NEUTRAL CLEANER** or **FLOOR CLEANER** depending on the type of material

INSTRUCTIONS AND GUIDELINES

- **STAIN REMOVER POWDER needs to be used on its own. Never mix or use in conjunction with other chemicals.**
- Do not apply the product on overheated surfaces
- During the application the surface can't be exposed to direct sunlight
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Before applying the product it is necessary to take a preliminary test to evaluate its suitability

EQUIPMENT CLEANING

The equipment used can be cleaned with water

PHYSICAL AND TECHNICAL DATA

| | |
|--------------------------|--------------|
| Formula | Powder |
| Color | White |
| Odor | N.A. |
| pH | 6,5 ± 0,5 |
| Specific gravity at 20°C | 432 ± 10 g/l |

STORAGE

Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE

36 months in the original, sealed packaging, stored in a cool, dry place.

PACKAGING

200 g buckets - 12 buckets per box

MADE IN ITALY

100%

FABER CHIMICA SRL

60044 FABRIANO (AN) ITALY - VIA G. CERESANI 10 - LOC. CAMPO D'OLMO

PI-CF / VAT NUMBER 0100744021 - P: +39 0732 62 71 78

INFO@FABERSURFACECARE.COM - FABERSURFACECARE.COM



SHOWROOM LINE



SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

Rev4.0 – 12/09/2022

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and/or modify the data and information contained in the datasheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case, you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability concerning the use of such data and suggestions.

MADE IN ITALY

100%